



Automotive & Industrial Products

INNOVATION

• Taking the Work out of Work!



Garden & Water Hoses

2016

Flexzilla®

Flexzilla® raises the bar for garden hose features and benefits, simplifying lawn care. Flexzilla Premium Hybrid Polymer Garden Hose now features revolutionary SwivelGrip™ female & male (patent pending) fittings. The comfortable gripping surface is much easier to turn and tighten. Flexzilla SwivelGrip makes connecting the hose to the spigot or attachments a breeze. The swivel action ensures that either end can be easily attached and the hose extended without twisting, so sprinklers lie flat and your work is more efficient. Plus, with our superior female hose end O-ring seal, you get a long-term, leak-free connection at the spigot that outlasts the competition by far. The Premium Hybrid Polymer inner tube material is drinking water safe.

SwivelGrip™ Garden and Lead-in Hose Assemblies

FEATURES:

- Male and female SwivelGrip™ Connections
- Extreme all-weather flexibility
- Lightweight, coils easily
- No memory - lays flat
- Abrasion resistant
- Kink resistant core design
- 3/4 in. - 1 1/2 GHT fittings both ends
- Max. working pressure at 70° F: 150 psi
- Drinking Water Safe



HFZG550YWS



HFZG550YWS

SwivelGrip™ Action



Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
HFZG503YWS	ZillaGreen™	3 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG510YWS	ZillaGreen™	10 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG550YWS	ZillaGreen™	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG575YWS	ZillaGreen™	75 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG5100YWS	ZillaGreen™	100 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZGSQTR1*	ZillaGreen™	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●

*HFZGSQTR1 includes 40 each HFZG550YWS

The color chartreuse as applied to the body of water hose is a trademark of Weems Industries, Inc.

SwivelGrip™ Patent Pending



HFZG510YWS



HFZG510YWS

Flexzilla® (continued)

Flexzilla® Garden Hose was engineered with a lightweight Premium Hybrid Polymer material to lie flat and eliminate kinking under pressure. It redefines flexibility, making it easy to maneuver around trees, bushes or other obstacles. Zero memory means your sprinkler stays put without twisting. And Flexzilla Garden Hose doesn't fight you when you coil it. Plus, with our superior female hose end O-ring seal, you get a long-term, leak-free connection at the spigot that outlasts the competition by far. The Premium Hybrid Polymer inner tube material is drinking water safe.

Garden and Lead-in Hose Assemblies

The Official Garden Hose of P. Allen Smith



HFZG503YW



HFZG503YW

FEATURES:

- Extreme all-weather flexibility
- Lightweight, coils easily
- No memory - lays flat
- Abrasion resistant
- Kink resistant core design
- Bend restrictor
- 3/4 in. - 1 1/2 GHT fittings both ends
- Crush resistant anodized aircraft aluminum male and female fittings
- Max. working pressure at 70° F: 150 psi
- **Drinking Water Safe**

Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
HFZG503YW	ZillaGreen™	3 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG505YW	ZillaGreen™	5 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG510YW	ZillaGreen™	10 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG550YW	ZillaGreen™	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG575YW	ZillaGreen™	75 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
HFZG5100YW	ZillaGreen™	100 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●

The color chartreuse as applied to the body of water hose is a trademark of Weems Industries, Inc.



HFZG550YW



HFZG550YW

Flexzilla® Pro

Custom Water Hose Center



HFZWHC1

The Flexzilla® Pro Custom Water Hose Center allows you to provide your customers with custom length hose. Using Flexzilla Pro reusable ends, you can quickly and easily create custom length hose assemblies on site. Contact your Legacy sales team for more information about the Flexzilla Custom Water Hose Center.

HOSE FEATURES:

- **Field repairable** – Reusable anodized aircraft aluminum fittings.
- Extreme all-weather flexibility
- Kink resistant under pressure
- No memory – lays flat
- Abrasion resistant
- 150 psi working pressure
- **Drinking Water Safe**



HFZW58250YW



RP900625F

RP900625M



HFZG503YWS



HFZG510YWS

Flexzilla® Pro (continued)

Custom Water Hose Center (continued)

GETTING STARTED

To get started with your Flexzilla Custom Water Hose Center: order part number HFZWHC1 for everything you need. The Flexzilla Custom Water Hose Center includes two pegboard signs, permitting use as both a single or double-sided hose center.

HFZWHC1 Custom Water Hose Center includes:

Rack Part No.	Description			Color	Hose & Fittings
HFZWHC1	Flexzilla Custom Water Hose Center (Loaded Freestanding Rack)			Black	Included
Bulk Hose Part No.	Color	Spool Length	Hose I.D.	Quantity	
HFZW58250YW	ZillaGreen™	250 ft.	5/8 in.	3	
The color chartreuse as applied to the body of air or water hose is a trademark of Weems Industries, Inc.					
Fitting Part No.	Description		Fitting	Barb Size	Quantity
RP900625F	Hose End Fitting and Bend Restrictor - Female		3/4 in. - 11 1/2 GHT	5/8 in.	30
RP900625M	Hose End Fitting and Bend Restrictor - Male		3/4 in. - 11 1/2 GHT	5/8 in.	30
Hose Part No.	Color	Description	Fitting	Barb Size	Quantity
HFZG503YWS	ZillaGreen™	3 ft. SwivelGrip™ Lead-in Hose	3/4 in. - 11 1/2 GHT	5/8 in.	10
HFZG510YWS	ZillaGreen™	10 ft. SwivelGrip™ Lead-in Hose	3/4 in. - 11 1/2 GHT	5/8 in.	20
The color chartreuse as applied to the body of air or water hose is a trademark of Weems Industries, Inc.					
SwivelGrip™ Patent Pending					

Build your own custom length hose in 3-easy steps!



Flexzilla® Pro

Water Hose Assemblies

Designed for the professional trade, Flexzilla® Pro Water Hose features Premium Hybrid Polymer hose with reusable fittings. The hose can be repaired in the field in 3 easy steps - using tools commonly available on the job site.



HFZWP5100

FEATURES:

- **Field repairable** – Reusable anodized aircraft aluminum fittings.
- Extreme all-weather flexibility
- Lays flat, no memory
- Anodized aircraft aluminum male and female fittings
- Abrasion resistant
- Spiral bend restrictors for increased flexibility
- Superior bend radius
- Kink resistant under pressure
- Maximum working pressure at 70° F: 165 psi
- **Drinking Water Safe**
- **2013 AAPEX Show - Award Winner for Product Innovation**

Part No.	Color:	Hose Length	Hose I.D.	Fittings	Retail Packaging
HFZWP550	ZillaGreen™	50 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HFZWP575	ZillaGreen™	75 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HFZWP5100	ZillaGreen™	100 ft.	5/8 in.	3/4 in. - 11½ GHT	●

The color chartreuse as applied to the body of water hose is a trademark of Weems Industries, Inc.



HFZWP550



HFZWP550

Flexzilla® (continued)

Pressure Washer Hose

Extreme flexibility under pressure! Flexzilla offers a revolutionary pressure washer hose that redefines flexibility, even under pressure! Unlike other pressure washer hose, Flexzilla stays flexible when pressurized for use and offers minimal memory when depressurized, so it lays flat and won't work against you before, during or after use.

FEATURES:

- Extreme flexibility under pressure, from subzero to 140° F
- Made of Premium Hybrid Polymer
- Integral non-kink bend restrictor
- Max. working pressure at 70° F: 3,100 psi
- Cold water use only
- **Made in USA**

IDEAL FOR:

- Professionals and homeowners



HFZPW3425M



HFZPW3425M

Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
HFZPW3425M	ZillaGreen™	25 ft.	1/4 in.	M22	●
HFZPW3425M-5X	ZillaGreen™	25 ft.	1/4 in.	M22	●
HFZPW3450M	ZillaGreen™	50 ft.	1/4 in.	M22	●
HFZPW3450M-3X	ZillaGreen™	50 ft.	1/4 in.	M22	●
HFZPW3525M	ZillaGreen™	25 ft.	5/16 in.	M22	●
HFZPW3525M-5X	ZillaGreen™	25 ft.	5/16 in.	M22	●
HFZPW3550M	ZillaGreen™	50 ft.	5/16 in.	M22	●
HFZPW3550M-3X	ZillaGreen™	50 ft.	5/16 in.	M22	●

The color chartreuse as applied to the body of water hose is a trademark of Weems Industries, Inc.

Part No.'s with -3X suffix include 3 hose coils in a retail merchandiser display

Part No.'s with -5X suffix include 5 hose coils in a retail merchandiser display

Quick Connect Coupler and Plugs

FEATURES:

- Easily connect and disconnect without tools



Part No.	Description	Connection Size	Material	Retail Packaging
PW3500	Quick Connect Coupler	1/4 in. FNPT	Brass	●
PW3510	Quick Connect Plug	1/4 in. FNPT	Plated Steel	●
PW3511	Quick Connect Plug	1/4 in. MNPT	Plated Steel	●
PW3520	Quick Connect Coupler	3/8 in. FNPT	Brass	●
PW3530	Quick Connect Plug	3/8 in. FNPT	Plated Steel	●
PW3531	Quick Connect Plug	3/8 in. MNPT	Plated Steel	●
PW3560	Quick Connect Coupler - Economy	1/4 in. FNPT	Brass	●
PW3570	Quick Connect Plug - Economy	1/4 in. FNPT	Plated Steel	●
PW3571	Quick Connect Plug - Economy	1/4 in. MNPT	Plated Steel	●
PW3580	Quick Connect Coupler - Economy	3/8 in. FNPT	Brass	●
PW3590	Quick Connect Plug - Economy	3/8 in. FNPT	Plated Steel	●
PW3591	Quick Connect Plug - Economy	3/8 in. MNPT	Plated Steel	●

Flexzilla® (continued)

Screw Couplers



PW3023

FEATURES:

- Easily connect and disconnect without tools

SPECIFICATIONS:

- O-Ring: EPDM
- Outlet: M22
- Yoke/ID: M14
- Temp. Rating: 300° F (148.9° C)
- Pressure Rating: 5,800 psi

Part No.	Description	Connection Size	Material	Retail Packaging
PW3021	Screw Coupling	M22 x 1/4 in. FNPT	Brass	●
PW3023	Screw Coupling	M22 x 3/8 in. FNPT	Brass	●

Swivel Coupling and Nipples

FEATURES:

- Easily connect and disconnect without tools
- Connects 3/8 in. pressure washer equipment using screw nipples
- Converts M22 metric threads to standard

SPECIFICATIONS:

- O-Ring: EPDM
- Outlet: M22
- Yoke/ID: M14
- Temp. Rating: 300° F (148.9° C)
- Pressure Rating: 5,800 psi

Part No.	Description	Connection Size	Material	Retail Packaging
PW3002	Nipple	M22 x 1/4 in. FNPT	Brass	●
PW3003	Nipple	M22 x 1/4 in. MNPT	Brass	●
PW3004	Nipple	M22 x 3/8 in. FNPT	Brass	●
PW3005	Nipple	M22 x 3/8 in. MNPT	Brass	●
PW3032	Swivel Coupling	M22 x 1/4 in. MNPT	Brass	●



PW3032



PW3002



PW3003

Nozzle Kit

FEATURES:

- Varying degrees of spray for a variety of applications
- Color coded to quickly identify degree of spray
- Easily connect and disconnect without tools

SPECIFICATIONS:

- Pressure Rating: 4,000 psi



PW4000

Part No.	Description	Retail Packaging
PW4000	Nozzle Kit 0,15,25,40 spray pattern x 4.5 orifice/soap	●


Lances

FEATURES:

- Can be used for hot or cold water applications
- Nickel chrome plated steel (prevents rust)
- Suitable for use with corrosive chemicals
- Provide a more consistent seal
- Four times stronger than cut threads

SPECIFICATIONS:

- Inlet: 1/4 in. MNPT
- Outlet: 1/4 in. MNPT
- Temp. Rating: 300° F (148.9° C)
- Pressure Rating: 5,800 psi



PW1013

Part No.	Description	Retail Packaging
PW1013	Lance 36 in.	●
PW1015	Lance 48 in.	●

Flexzilla® (continued)

Spray Guns and Handles

FEATURES:

- Forged brass housing for maximum strength
- Stainless steel spring, needle, ball and seat for chemical resistance
- Special heat and chemical resistant seals for optimum performance

SPECIFICATIONS:

- Flow Rate: 10.4 GPM
- Inlet: 3/8 in. FNPT
- Outlet: 1/4 in. FNPT
- Temp. Rating: 300° F (148.9° C)
- Pressure Rating: 5,000 psi



PW2000



PW2305



PW1020

Part No.	Description	Retail Packaging
PW2000	Spray Gun 3/8F NPT, 5,000 psi - see specifications	●
PW2305	Spray Gun - Easy pull 3/8F NPT, 5,000 psi - see specifications	●
PW1020	Lance Handle - specifications do not apply	●

Flexzilla®

Flexzilla® Rubber Water Hose features Zephyr™ Technology with extreme performance, lighter weight, more flexibility and has greater temperature ranges for hot and cold water applications. It's the lightest rubber water hose on the market!

Extreme Rubber Water Hose (Zephyr Technology)

Lightest rubber hose on the market!



FEATURES:

- Extreme flexibility down to -50°F
- Handles hot water up to 200°F
- No memory, coils easy
- Kink resistant under pressure
- 150 PSI working pressure
- RMA Class C
- Abrasion resistant cover
- Ozone resistant cover
- Ergonomic bend restrictor with built-in grip

Zephyr Technology

Extreme Performance

- Lighter weight
- More flexible
- Greater temperature range

Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
HFZRW010506	ZillaGreen™	50 ft.	1 in.	1" NPSH thread	●
HFZRW011006	ZillaGreen™	100 ft.	1 in.	1" NPSH thread	●
HFZRW340506	ZillaGreen™	50 ft.	3/4 in.	3/4 in. - 11½ GHT	●
HFZRW341006	ZillaGreen™	100 ft.	3/4 in.	3/4 in. - 11½ GHT	●
HFZRW580506	ZillaGreen™	50 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HFZRW580756	ZillaGreen™	75 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HFZRW581006	ZillaGreen™	100 ft.	5/8 in.	3/4 in. - 11½ GHT	●

The color chartreuse as applied to the body of water hose is a trademark of Weems Industries, Inc.

(Note - Rubber water hose is not drinking water safe.)



SmartFlex™

SmartFlex™ hoses feature a Hybrid Polymer Blend material and offer premium performance at a mid-level price point. They also have an abrasion-resistant outer cover for durability. The easy grip water hoses offer superior ergonomics with a SwivelGrip handle on the female end that makes them easy to attach and detach at the spigot. SmartFlex is an adaptable, swivel-handle hose that's a great choice for smart DIY shoppers. The Hybrid Polymer Blend inner tube material is drinking water safe.

RV/Marine Hose Assemblies

FEATURES:

- Female SwivelGrip™ connection makes connecting to the spigot easy
- Cold-weather flexibility
- Kink resistant under pressure
- Superior ergonomics
- Drinking water safe

IDEAL FOR:

- Camping and boating applications



HSFRV550



HSFRV550

Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
HSFRV425	White	25 ft.	1/2 in.	3/4 in. - 11½ GHT	●
HSFRV450	White	50 ft.	1/2 in.	3/4 in. - 11½ GHT	●
HSFRV525	White	25 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HSFRV550	White	50 ft.	5/8 in.	3/4 in. - 11½ GHT	●

Garden Hose Assemblies

FEATURES:

- Female SwivelGrip™ connection makes connecting to the spigot easy
- Cold-weather flexibility
- Kink resistant under pressure
- Superior ergonomics
- Drinking water safe

IDEAL FOR:

- Lawn and garden applications



HSFG550GR



HSFG550GR

Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
HSFG550GR	Green	50 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HSFG575GR	Green	75 ft.	5/8 in.	3/4 in. - 11½ GHT	●
HSFG5100GR	Green	100 ft.	5/8 in.	3/4 in. - 11½ GHT	●

P. Allen Smith Water Colors Collection

Allen has been a huge fan of Flexzilla® Garden Hose since he first used one at his Moss Mountain Farm. Now he's partnered with Flexzilla to offer his own Water Colors Collection of garden hoses. The warm, inviting colors are uniquely P. Allen Smith – Blue Skies, Coral Candy, Crazy for Cocoa and Green Envy.

Water Colors Collection hoses are the same lightweight Premium Hybrid Polymer that lets all Flexzilla hoses lie flat and not kink under pressure, with zero memory so your sprinkler stays put without twisting. This revolutionary hose is easy to maneuver and doesn't fight you when you coil it. It redefines flexibility. The Premium Hybrid Polymer inner tube material is drinking water safe.

SwivelGrip™ Garden Hose Assemblies

FEATURES:

- Male and female SwivelGrip™ fittings connect easily to the spigot and attachments
- Extreme all-weather flexibility
- Lightweight, won't kink under pressure
- Superior O-ring connects leak-free
- **Drinking water safe**

Part No.	Color	Hose Length	Hose I.D.	Fittings	Retail Packaging
PAS550BLS	Blue Skies	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
PAS550BRS	Crazy for Cocoa	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
PAS550COS	Coral Candy	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
PAS550GRS	Green Envy	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●
PASQTR1*	Assorted	50 ft.	5/8 in.	3/4 in. - 1 1/2 GHT	●

*PASQTR1 includes 10 each PAS550BLS, PAS550BRS, PAS550COS, PAS550GRS

SwivelGrip™ Patent Pending



PAS550BLS



PAS550BRS



PAS550COS



PAS550GRS



Quarter Pallets

Flexzilla SwivelGrip Garden Hose



Hose FEATURES - See Page 2

P. Allen Smith Water Colors Collection Garden Hose



Hose FEATURES - See Page 12

SmartFlex Garden Hose



Hose FEATURES - See Page 11

Quarter Pallets

Flexzilla Extreme Rubber Water Hose



Hose FEATURES - See Page 10

SmartFlex RV/Marine Hose



Hose FEATURES - See Page 11

Merchandise

Flexzilla Pressure Washer Hose



Hose FEATURES - See Page 7







Part No.	Pg.
HFZG503YW	3
HFZG505YW	3
HFZG510YW	3
HFZG550YW	3
HFZG575YW	3
HFZG5100YW	3
HFZG503YWS	2, 4, 5
HFZG510YWS	2, 4, 5
HFZG550YWS	2
HFZG575YWS	2
HFZG5100YWS	2
HFZGQTR1	2
HFZPW3425M	7
HFZPW3425M-5X	7
HFZPW3450M	7
HFZPW3450M-3X	7
HFZPW3525M	7
HFZPW3525M-5X	7
HFZPW3550M	7
HFZPW3550M-3X	7
HFZRW010506	10
HFZRW011006	10
HFZRW340506	10
HFZRW341006	10
HFZRW580506	10
HFZRW580756	10
HFZRW581006	10
HFZW58250YW	4, 5
HFZWP550	6
HFZWP575	6
HFZWP5100	6
HFZWHC1	5
HSFG550GR	11
HSFG575GR	11
HSFG5100GR	11
HSFRV425	11
HSFRV450	11
HSFRV525	11
HSFRV550	11
PAS550BLS	12
PAS550BRS	12
PAS550COS	12
PAS550GRS	12
PASQTR1	12
PW1013	8
PW1015	8
PW1020	9
PW2000	9
PW2305	9

Part No.	Pg.
PW3002	8
PW3003	8
PW3004	8
PW3005	8
PW3021	8
PW3023	8
PW3032	8
PW3500	7
PW3510	7
PW3511	7
PW3520	7
PW3530	7
PW3531	7
PW3560	7
PW3570	7
PW3571	7
PW3580	7
PW3590	7
PW3591	7
PW4000	8
RP900625F	4, 5
RP900625M	4, 5



Automotive & Industrial Products

INNOVATION

• Taking the Work out of Work!



Garden & Water Hoses

Follow Flexzilla...



Published: Nov. 1, 2015

6509 Partners Ave.
Marion, IA 52302 USA

800-645-8258
Info@LegacyMfg.com

LegacyMfg.com
Flexzilla.com

WaterColorsCollection.com